

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES
Cotton Quality Report



Classings Through December 28, 2006

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through December 28, 2006

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3	3	14	382	2,845	9,953	27,486	57,137	105,858	203,678
	4	-	39	562	3,846	13,905	43,598	107,744	214,562	384,256
	5	-	26	173	593	1,381	2,936	6,673	13,849	25,631
	6	-	2	8	39	134	192	412	583	1,370
	7	-	-	-	1	6	13	7	24	51
	TOTAL---	3	81	1,125	7,324	25,379	74,225	171,973	334,876	614,986
31	1-2	7	9	53	546	4,526	21,013	48,637	65,663	140,454
	3	1	40	375	3,655	32,015	187,529	605,969	1,191,761	2,021,345
	4	-	36	232	1,286	6,846	32,458	109,466	290,467	440,791
	5	-	20	81	126	896	3,589	9,199	15,128	29,039
	6	-	-	3	7	33	229	853	1,037	2,162
	7	-	-	-	2	-	13	41	46	102
	TOTAL----	8	105	744	5,622	44,316	244,831	774,165	1,564,102	2,633,893
41	1-2	1	1	7	78	794	3,149	6,462	7,561	18,053
	3	-	8	91	1,381	13,256	85,861	321,913	700,489	1,122,999
	4	-	13	165	1,462	7,971	46,982	188,845	545,116	790,554
	5	-	26	80	488	2,174	10,476	29,614	66,234	109,092
	6	-	9	10	113	411	1,580	3,319	5,893	11,335
	7	-	-	1	7	60	178	406	483	1,135
	TOTAL----	1	57	354	3,529	24,666	148,226	550,559	1,325,776	2,053,168
51	1-2	-	-	-	11	62	137	261	299	770
	3	-	-	6	56	653	3,060	9,215	19,502	32,492
	4	-	-	8	118	925	3,602	11,520	29,169	45,342
	5	-	-	11	57	346	1,788	4,713	9,099	16,014
	6	-	-	1	7	100	440	878	1,599	3,025
	7	-	-	-	1	22	65	74	160	322
	TOTAL----	-	-	26	250	2,108	9,092	26,661	59,828	97,965
61	1-2	-	-	-	-	1	1	4	1	7
	3	-	-	-	1	6	23	43	73	146
	4	-	-	-	-	8	29	89	164	290
	5	-	-	-	-	5	21	49	119	194
	6	-	-	-	-	1	6	22	37	66
	7	-	-	-	-	1	1	3	2	7
	TOTAL----	-	-	-	1	22	81	210	396	710
71	1-2	-	-	-	-	2	-	-	1	3
	3	-	-	-	-	-	3	1	6	10
	4	-	-	1	-	1	-	1	2	5
	5	-	-	-	-	-	-	1	2	3
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	1	-	1
	TOTAL----	-	-	1	-	3	3	4	11	22
12 & 22	1-2	-	21	394	1,515	3,173	4,339	3,870	3,966	17,278
	3	2	185	1,047	2,577	5,623	8,045	8,845	9,834	36,158
	4	1	62	308	559	1,179	1,638	1,993	2,455	8,195
	5	-	14	48	81	216	454	360	298	1,471
	6	-	1	-	8	15	60	24	17	125
	7	-	-	-	-	-	5	-	-	5
	TOTAL----	3	283	1,797	4,740	10,206	14,541	15,092	16,570	63,232
32	1-2	-	2	21	156	491	1,010	960	804	3,444
	3	6	94	374	1,439	6,311	15,802	23,200	27,189	74,415
	4	2	72	340	694	2,774	7,912	14,000	19,540	45,334
	5	-	41	160	280	537	1,067	1,420	2,106	5,611
	6	-	13	46	83	105	217	264	223	951
	7	-	7	5	17	35	52	43	23	182
	TOTAL----	8	229	946	2,669	10,253	26,060	39,887	49,885	129,937
42	1-2	-	2	7	26	120	286	279	226	946
	3	-	9	81	503	2,918	9,195	16,430	23,206	52,342
	4	-	15	120	746	3,353	13,090	26,838	45,220	89,382
	5	-	9	85	334	1,013	3,146	6,004	11,499	22,090
	6	-	8	44	109	217	427	642	949	2,396
	7	-	2	12	52	79	141	158	96	540
	TOTAL----	-	45	349	1,770	7,700	26,285	50,351	81,196	167,696
52	1-2	-	-	1	-	8	6	15	10	40
	3	-	-	5	21	68	282	607	1,013	1,996
	4	-	1	10	53	183	882	2,013	3,428	6,570
	5	1	18	25	32	106	431	1,203	2,076	3,892
	6	3	33	19	18	31	83	185	369	741
	7	3	36	-	3	8	21	38	61	170
	TOTAL----	7	88	60	127	404	1,705	4,061	6,957	13,409

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through December 28, 2006

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	1	2	1	1	5
	3	-	-	-	-	2	7	15	25	49
	4	-	-	-	-	2	8	23	71	104
	5	-	-	1	-	1	1	12	55	70
	6	-	3	1	-	-	1	8	12	25
	7	3	3	2	-	7	5	1	2	23
	TOTAL ---	3	6	4	-	13	24	60	166	276
13 & 23	1-2	-	3	20	76	150	223	188	219	879
	3	1	17	71	165	429	633	643	705	2,664
	4	-	8	17	55	142	172	164	180	738
	5	-	1	2	15	44	71	48	25	206
	6	-	-	1	2	28	11	8	5	55
	7	-	-	-	-	-	5	-	-	5
	TOTAL ---	1	29	111	313	793	1,115	1,051	1,134	4,547
33	1-2	-	2	10	28	83	120	188	231	662
	3	2	55	106	245	668	1,229	2,005	3,049	7,359
	4	-	48	125	140	353	520	722	1,124	3,032
	5	1	25	108	77	84	149	192	193	829
	6	1	13	53	43	31	30	43	42	256
	7	-	1	5	13	19	10	9	5	62
	TOTAL ---	4	144	407	546	1,238	2,058	3,159	4,644	12,200
43	1-2	-	-	7	6	21	34	74	112	254
	3	-	6	18	43	330	1,349	3,343	6,180	11,269
	4	-	1	16	85	422	988	2,103	4,606	8,221
	5	-	36	69	61	136	236	379	565	1,482
	6	-	37	79	77	66	98	81	83	521
	7	-	13	30	44	22	24	25	18	176
	TOTAL ---	-	93	219	316	997	2,729	6,005	11,564	21,923
53	1-2	-	-	-	-	3	2	-	3	8
	3	-	-	1	1	33	77	235	492	839
	4	-	-	2	6	46	184	406	978	1,622
	5	-	1	1	8	34	58	185	363	650
	6	-	1	1	1	9	15	50	94	171
	7	-	-	-	1	2	8	11	9	31
	TOTAL ---	-	2	5	17	127	344	887	1,939	3,321
63	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	2	4	5	11
	4	-	-	-	-	1	3	9	42	55
	5	-	-	-	-	-	-	5	16	21
	6	-	1	-	-	-	2	3	9	15
	7	-	-	-	-	-	-	2	2	2
	TOTAL ---	-	1	-	-	1	7	21	74	104
24-54	1-7	-	8	33	96	351	852	1,829	3,242	6,411
25-35	1-7	-	-	-	-	2	1	-	1	4
81-85 1/	1-7	1	11	4	8	29	102	249	470	874
All Colors	8 2/	3	15	15	11	103	214	331	236	928
TOTAL, ALL --		42	1,197	6,200	27,339	128,711	552,495	1,646,555	3,463,067	5,825,606

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through December 28, 2006

QUALITY	LEAF	STAPLE								TOTAL
		35	36	37	38	39	40 &+	35 to 40+		
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3	181,300	257,049	247,683	68,270	27,038	8,478	789,818	1,597,201	993,496
	4	349,167	479,168	552,333	164,201	43,345	8,987	147,693	1,493,457	1,981,457
	5	28,185	44,048	52,091	17,317	5,217	835	9	4,935	173,324
	6	1,064	1,638	1,707	436	81	-	126	6,305	177
	7	25	49	46	5	1	-	2	12	2
		1	-	1	-	-	-	-	-	2
TOTAL----		559,742	781,952	853,861	250,229	75,682	18,309	2,539,775	3,154,761	
31	1-2	67,297	67,211	60,486	26,279	21,015	8,480	250,768	391,222	
	3	1,284,981	883,130	556,804	159,801	64,942	22,445	2,972,103	4,993,448	
	4	533,740	530,335	337,987	80,185	22,031	5,024	1,509,302	1,950,093	
	5	26,547	35,079	33,052	9,261	2,327	442	106,708	135,747	
	6	1,257	1,729	1,710	489	62	5	5,252	7,414	
	7	48	60	64	12	3	-	187	289	
TOTAL----		1,913,870	1,517,544	990,103	276,027	110,380	36,396	4,844,320	7,478,213	
41	1-2	5,815	3,600	1,352	433	254	100	11,554	29,607	
	3	797,759	466,482	156,729	14,798	4,439	1,372	1,441,579	2,564,578	
	4	1,027,107	958,125	465,375	59,877	8,117	1,193	2,519,794	3,310,348	
	5	124,221	146,037	104,806	22,090	3,704	609	401,467	510,559	
	6	9,292	11,344	10,465	2,682	597	43	34,423	45,758	
	7	730	900	927	224	155	11	2,947	4,082	
TOTAL----		1,964,924	1,586,488	739,654	100,104	17,266	3,328	4,411,764	6,464,932	
51	1-2	237	184	40	3	-	-	464	1,234	
	3	22,852	16,164	5,262	448	23	8	44,757	77,249	
	4	55,708	55,550	28,643	3,588	80	488	144,057	189,399	
	5	15,323	16,244	11,201	2,210	205	18	45,201	61,215	
	6	2,733	2,891	1,960	384	52	9	8,029	11,054	
	7	369	677	532	33	15	7	1,633	1,955	
TOTAL----		97,222	91,710	47,638	6,666	537	54	243,827	341,792	
61	1-2	3	2	-	-	-	-	5	12	
	3	128	153	37	5	4	1	328	474	
	4	277	424	423	33	4	-	1,161	1,451	
	5	146	112	161	15	1	-	435	629	
	6	25	27	12	2	1	-	67	133	
	7	4	4	4	-	1	-	13	20	
TOTAL----		583	722	637	55	11	1	2,009	2,719	
71	1-2	-	1	1	-	-	-	2	5	
	3	6	7	2	-	-	-	15	25	
	4	3	20	16	2	-	-	41	46	
	5	1	6	29	2	-	-	38	41	
	6	-	-	3	-	-	-	3	3	
	7	-	-	-	-	-	-	-	1	
TOTAL----		10	34	51	4	-	-	99	121	
12 & 22	1-2	4,867	4,566	2,168	342	78	18	12,039	29,317	
	3	13,039	12,584	7,785	1,450	286	70	35,214	71,372	
	4	3,505	3,943	2,338	540	66	6	10,398	18,593	
	5	430	357	257	37	5	1	1,087	2,558	
	6	20	9	3	-	-	-	32	157	
	7	-	-	-	-	-	-	-	5	
TOTAL----		21,861	21,459	12,551	2,369	435	95	58,770	122,002	
32	1-2	705	510	727	338	177	63	2,520	5,964	
	3	23,284	14,269	7,169	1,825	1,090	601	48,238	122,653	
	4	22,462	15,854	8,022	1,604	494	277	48,713	94,047	
	5	3,206	2,769	1,802	346	125	77	8,325	13,936	
	6	300	278	210	47	2	2	839	1,790	
	7	20	10	12	2	3	-	47	229	
TOTAL----		49,977	33,690	17,942	4,162	1,891	1,020	108,682	238,619	
42	1-2	145	110	96	61	38	9	459	1,405	
	3	23,176	15,121	5,120	557	390	113	44,477	96,819	
	4	56,785	45,731	20,644	2,172	421	171	125,924	215,306	
	5	14,487	13,211	8,198	1,306	284	92	37,578	59,668	
	6	1,417	1,339	1,151	203	24	7	4,141	6,537	
	7	168	155	148	31	1	2	505	1,045	
TOTAL----		96,178	75,667	35,357	4,330	1,158	394	213,084	380,780	
52	1-2	10	5	8	-	1	1	25	65	
	3	1,525	1,342	583	49	7	1	3,507	5,503	
	4	5,302	5,397	3,593	380	22	3	14,697	21,267	
	5	2,809	2,851	2,202	441	42	9	8,354	12,246	
	6	558	579	449	73	13	3	1,675	2,416	
	7	152	182	183	16	3	-	536	706	
TOTAL----		10,356	10,356	7,018	959	88	17	28,794	42,203	

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through December 28, 2006

QUALITY	LEAF	STAPLE								TOTAL
		35	36	37	38	39	40 &+	35 to 40+		
62	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
		1	-	1	-	-	-	2	7	
		31	19	14	2	2	-	68	117	
		249	488	500	82	3	-	1,322	1,426	
		106	241	205	33	-	-	585	655	
		21	13	4	-	-	-	38	63	
		26	3	1	-	-	-	30	53	
TOTAL ---		434	764	725	117	5	-	2,045	2,321	
13 & 23	1-2	260	320	237	29	2	-	848	1,727	
		870	1,026	668	126	17	1	2,708	5,372	
		224	213	101	27	9	-	574	1,312	
		39	24	11	2	-	-	76	282	
		2	1	-	-	-	-	3	58	
		-	-	-	-	-	-	-	5	
		1,395	1,584	1,017	184	28	1	4,209	8,756	
33	1-2	192	226	218	48	11	22	717	1,379	
		3,547	3,073	2,246	492	131	64	9,553	16,912	
		1,629	1,711	1,194	213	83	18	4,848	7,880	
		281	222	186	31	11	1	732	1,561	
		39	25	21	6	-	-	91	347	
		2	-	2	-	-	-	4	66	
		5,690	5,257	3,867	790	236	105	15,945	28,145	
43	1-2	83	50	32	3	3	4	175	429	
		6,227	4,229	1,746	198	75	33	12,508	23,777	
		6,830	6,439	3,419	410	84	55	17,237	25,458	
		809	949	664	119	24	16	2,581	4,063	
		115	132	94	21	3	1	366	887	
		28	28	6	1	-	-	63	239	
		14,092	11,827	5,961	752	189	109	32,930	54,853	
53	1-2	7	1	7	-	-	-	15	23	
		598	497	203	12	2	1	1,313	2,152	
		1,569	1,462	775	118	19	1	3,944	5,566	
		469	635	466	81	9	-	1,660	2,310	
		96	94	93	3	-	-	286	457	
		8	27	26	3	-	-	64	95	
		2,747	2,716	1,570	217	30	2	7,282	10,603	
63	1-2	1	2	2	-	-	-	5	5	
		10	16	9	1	-	1	37	48	
		88	123	201	49	-	-	461	516	
		35	59	111	11	-	-	216	237	
		10	2	8	1	-	-	21	36	
		1	1	9	-	-	-	11	13	
		145	203	340	62	-	1	751	855	
24-54	1-7	3,174	2,334	1,170	190	33	31	6,932	13,343	
25-35	1-7	1	16	-	-	-	-	17	21	
81-85 1/	1-7	502	282	127	30	1	1	943	1,817	
All Colors	8 2/	191	220	195	48	1	-	655	1,583	
TOTAL, ALL ----		4,743,094	4,144,825	2,719,784	647,295	207,971	59,864	12,522,833	18,348,439	
EXTRANEIOUS MATTER										Average Staple 35.2
										Percent Tenderable 72.5

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	*	0.1	0.3	0.6	1.0	1.4	1.3	0.4	0.1	*	5.4
	3	-	*	*	*	0.1	0.2	0.6	1.2	1.9	2.6	3.0	0.9	0.2	*	10.8
	4	-	*	*	*	*	*	*	0.1	0.2	0.2	0.3	0.1	*	*	0.9
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
	TOTAL ---	*	*	*	*	0.1	0.4	0.9	1.8	3.1	4.3	4.7	1.4	0.4	0.1	17.2
31	1-2	*	*	*	*	*	0.1	0.3	0.4	0.4	0.4	0.3	0.1	0.1	*	2.1
	3	*	*	*	*	0.2	1.0	3.3	6.5	7.0	4.8	3.0	0.9	0.4	0.1	27.2
	4	-	*	*	*	*	0.2	0.6	1.6	2.9	2.9	1.8	0.4	0.1	*	10.6
	5	-	*	*	*	*	*	*	0.1	0.1	0.2	*	*	*	*	0.7
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL ---	*	*	*	*	0.2	1.3	4.2	8.5	10.4	8.3	5.4	1.5	0.6	0.2	40.8
41	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	*	0.1	0.5	1.8	3.8	4.3	2.5	0.9	0.1	*	*	14.0
	4	-	*	*	*	*	0.3	1.0	3.0	5.6	5.2	2.5	0.3	*	*	18.0
	5	-	*	*	*	*	0.1	0.2	0.4	0.7	0.8	0.6	0.1	*	*	2.8
	6	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL ---	*	*	*	*	0.1	0.8	3.0	7.2	10.7	8.6	4.0	0.5	0.1	*	35.2
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	1.0
	5	-	-	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL ---	-	-	*	*	*	*	0.1	0.3	0.5	0.5	0.3	*	*	*	1.9
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL ---	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	*	-	-	*	-	*	*	*	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	*	-	*	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	TOTAL ---	-	-	*	-	*	*	*	*	*	*	*	*	-	*	
12 & 22	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.4
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	TOTAL ---	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
	4	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL ---	*	*	*	*	0.1	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.3
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	*	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	*	1.2
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL ---	-	*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.2	*	*	*	2.1
52	1-2	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	*	*	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL ---	*	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	-	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	-	*	*	*	*	*	*	*	-	-	*	
	7	*	*	*	-	*	*	*	*	*	*	*	*	-	*	
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	*	*	*	*	*	*	*	*	*	*	*	-	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	-	*	*	
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	0.3	
53	1-2	-	-	-	*	*	-	*	*	*	*	-	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
63	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	6	-	*	-	-	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	TOTAL	-	*	-	-	*	*	*	*	*	*	*	*	-	*	
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	-	*	*	*	-	*	*	*	-	-	-	*	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL		*	*	*	0.1	0.7	3.0	9.0	18.9	25.9	22.6	14.8	3.5	1.1	0.3	100.0
EXTRANEOUS MATTER														Average Staple	35.2	
														Percent Tenderable	72.5	
Bark - Level 1		3.6														
Bark - Level 2		*														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

18,348,439 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	3	-	-	*	*	0.2	0.4	0.7	1.0	0.7	0.2	*	*	*	-	3.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	*	-	*	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	*	*	0.2	0.6	1.0	1.3	0.8	0.2	0.1	*	*	-	4.4
31	1-2	-	-	*	*	0.1	0.4	0.7	0.6	0.2	*	*	-	-	-	2.1
	3	-	-	*	0.1	1.0	3.9	8.7	11.9	7.8	2.4	0.5	*	*	-	36.3
	4	-	*	*	*	0.2	0.7	1.6	2.7	2.6	1.1	0.3	*	*	-	9.3
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
	TOTAL---	-	*	*	0.2	1.3	5.0	11.1	15.3	10.7	3.6	0.8	*	*	*	48.0
41	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	3	-	*	*	0.1	0.6	2.4	5.6	7.3	4.3	1.3	0.2	*	-	-	21.7
	4	-	-	*	0.1	0.4	1.1	2.7	4.1	3.4	1.4	0.5	*	*	-	13.7
	5	-	-	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	-	1.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	TOTAL---	-	*	*	0.2	1.1	3.8	8.7	11.8	8.1	3.0	0.8	0.1	*	-	37.5
51	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	*	*
	TOTAL---	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	*	*	-	1.1
61	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	-	*	-	*	*	*	-	-	-	-	*
	5	-	-	-	*	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	*	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	-	0.4
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	*	-	0.5
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	0.1	0.4	0.8	0.7	0.4	0.2	*	*	*	*	-	2.6
	4	-	*	*	*	0.2	0.4	0.4	0.3	0.1	*	*	*	*	-	1.5
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	*	*	0.1	0.7	1.3	1.1	0.6	0.3	0.1	*	*	*	-	4.2
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	0.2	0.3	0.4	0.3	0.1	*	*	*	*	-	1.4
	4	-	*	*	*	0.2	0.4	0.4	0.4	0.2	0.1	*	*	*	-	1.7
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	TOTAL---	-	*	*	0.1	0.4	0.8	0.9	0.7	0.4	0.1	*	*	*	-	3.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL---	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1

* Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3	
43	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4	
53	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL		-	*	0.1	0.6	4.0	12.0	23.5	30.3	20.6	7.1	1.7	0.1	*	100.0	
EXTRANEous MATTER														Average Staple	33.8	
														Percent Tenderable	60.9	
Bark - Level 1		1.0														
Bark - Level 2		-														
Grass - Level 1		0.7														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

619,480 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	-	0.2	2.2	7.9	13.4	12.9	3.1	0.7	0.1	40.7
	3	-	-	-	-	*	-	0.1	0.8	2.8	5.5	6.8	2.0	0.6	0.1	18.9
	4	-	-	-	-	*	-	*	0.1	0.2	0.3	0.2	0.1	*	-	0.9
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL ----	-	-	-	-	-	-	0.1	0.4	3.1	10.9	19.2	20.0	5.2	1.3	0.1
31	1-2	-	-	-	-	*	*	0.1	0.7	3.1	5.0	4.3	1.0	0.2	*	14.5
	3	-	-	-	-	*	*	0.1	0.5	2.4	5.4	6.3	1.9	0.5	*	17.2
	4	-	-	-	-	*	*	0.1	0.2	0.5	0.6	0.3	0.1	*	*	1.8
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL ----	-	-	-	-	*	*	0.2	1.4	5.7	10.9	11.3	3.3	0.8	0.1	33.7
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4
	3	-	-	-	-	-	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL ----	-	-	-	-	*	*	0.2	0.4	0.4	0.4	0.1	*	*	*	1.5
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL ----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL ----	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL ----	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	0.2	0.6	0.5	0.1	*	-	-	-	1.4
	3	-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	*	-	-	0.9
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL ----	-	-	-	-	*	*	0.3	1.0	1.0	0.3	*	*	*	*	2.7
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL ----	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	*	0.9
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL ----	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL ----	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.1

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
25-35	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL	ALL	-	-	-	-	*	0.1	0.7	5.2	18.5	32.0	32.3	8.7	2.1	0.2	100.0
EXTRANEIOUS MATTER																Average Staple 36.3 Percent Tenderable 75.1
Bark - Level 1	0.7															
Bark - Level 2	*															
Grass - Level 1	0.3															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.2															
Other - Level 1	*															

352,860 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. — **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.1	0.2	0.1	-	-	-	-	0.4
	3	-	-	-	*	*	-	0.1	0.3	0.6	0.4	0.2	-	*	-	1.6
	4	-	-	-	-	*	*	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	-	*	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	0.1	0.4	0.8	0.6	0.2	*	*	-	2.1
31	1-2	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.8
	3	-	-	-	*	*	0.1	0.8	4.6	9.8	7.7	2.7	0.1	*	*	25.8
	4	-	-	-	*	*	*	0.2	1.3	4.9	5.7	2.3	0.1	*	*	14.5
	5	-	-	-	*	-	*	*	*	0.1	0.1	*	*	-	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	*	*
	TOTAL	-	-	-	*	*	0.2	1.2	6.3	15.1	13.6	5.0	0.2	*	*	41.5
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.1	0.7	3.2	5.9	4.2	1.2	*	*	-	15.3
	4	-	-	-	*	*	0.1	0.6	3.5	11.3	11.6	3.8	0.2	*	*	31.2
	5	-	-	-	*	*	*	0.1	0.4	1.0	1.4	0.7	0.1	*	*	3.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*
	TOTAL	-	-	-	*	*	0.2	1.5	7.1	18.3	17.2	5.7	0.3	*	*	50.4
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	*	*	*	*	0.1	0.5	0.6	0.2	*	-	-	1.5
	5	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	-	*	*	*	*	*	*	*	-	*	*
	TOTAL	-	-	-	*	*	0.1	0.2	0.8	0.8	0.3	*	*	*	*	2.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	*	*
	TOTAL	-	-	-	*	*	0.1	0.2	0.8	0.8	0.3	*	*	*	*	2.3
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	TOTAL	-	-	-	*	*	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	0.8
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	0.8
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	-	0.5
	4	-	-	-	*	*	*	*	0.1	0.1	0.3	0.4	0.3	*	-	1.4
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	0.1	0.2	0.6	0.7	0.5	0.2	*	*	-	2.3
52	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE															
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*	
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	*	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	TOTAL	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3	
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	*	-	-	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
TOTAL, ALL		-	-	-	*	0.1	0.6	3.2	14.8	36.1	33.0	11.6	0.6	*	*	100.0	
EXTRANEIOUS MATTER																Average Staple Percent Tenderable	35.4 85.0
Bark - Level 1		0.1															
Bark - Level 2		-															
Grass - Level 1		0.2															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

2,398,137 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. — *California*: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE															
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	-	0.2	0.7	1.8	3.8	6.4	4.3	3.1	1.2	21.4	
	3	-	-	-	-	-	*	*	0.3	0.6	2.5	6.4	3.0	1.6	0.8	15.2	
	4	-	-	-	-	-	-	-	*	*	0.2	0.1	*	*	*	0.3	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	*	0.2	1.0	2.4	6.3	12.9	7.3	4.8	2.0	37.0		
31	1-2	-	-	-	*	*	0.2	0.4	1.4	2.3	3.4	2.9	3.0	1.3	14.8		
	3	-	-	-	*	*	0.1	0.3	1.1	4.8	11.1	8.3	6.5	3.0	35.2		
	4	-	-	-	-	*	*	*	0.1	0.5	1.9	1.4	0.8	0.4	5.1		
	5	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.4		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
TOTAL		-	-	-	*	*	0.2	0.7	2.6	7.6	16.6	12.6	10.3	4.7	55.4		
41	1-2	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4	
	3	-	-	-	*	*	*	*	0.2	0.4	0.6	0.6	0.5	0.2	2.5		
	4	-	-	-	-	*	*	*	0.1	0.3	0.5	0.4	0.3	0.1	1.7		
	5	-	-	-	-	*	*	*	*	0.1	0.3	0.1	0.1	*	0.8		
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.3		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
TOTAL		-	-	-	*	*	*	*	0.1	0.4	0.9	1.7	1.2	1.0	0.4	5.7	
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2	
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2	
	3	-	-	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	0.5	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	-	-	-	*	*	*	*	*	*	0.1	0.2	0.1	0.8	
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	0.1	*	0.2	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	0.5	
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	■	■	■	-	*	-	-	-	■
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	■	■	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	■	■	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	■	■	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	■	*	■	■	*	■	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	-	*	-	*	-	*	-	*
	6	-	-	-	-	-	-	*	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	*	-	*	-	*	-	*	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	-	*	-	*	-	*	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL, ALL		-	-	-	-	*	*	0.5	1.8	5.5	15.2	31.7	21.6	16.4	7.3	100.0
EXTRANEOUS MATTER																Average Staple 37.4 Percent Tenderable 94.3
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

670,229 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. - *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	-	0.1	0.1	0.1	*	-	-	-	-	0.3
	3	-	-	-	-	-	*	0.2	0.7	0.7	0.4	0.1	-	-	-	2.1
	4	-	-	-	-	-	*	*	-	-	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.1	0.3	0.8	0.8	0.5	0.1	-	-	-	2.5
31	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.3	3.1	13.0	18.0	6.0	1.2	*	-	-	41.6
	4	-	-	-	-	*	*	0.1	1.1	2.7	1.8	0.5	*	-	-	6.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.3	3.4	14.5	20.9	7.9	1.7	*	-	-	48.8
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	3.1	12.2	13.5	3.2	0.6	*	-	-	32.9
	4	-	-	-	-	*	*	0.6	3.2	6.6	2.6	0.5	*	-	-	13.6
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	0.3	3.7	15.5	20.3	6.0	1.1	*	-	-	46.9
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	*	*	*	0.1	*	*	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
42	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	*	*	*	0.1	0.2	0.3	0.1	*	*	-	0.8
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*

* Less than 0.05 percent.

Table 7. — **Florida**: Percent distribution of color, leaf and staple for upland cotton classed: December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	-	-	-	-	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	*	-	-	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL		-	-	*	*	0.1	0.8	7.7	31.3	42.5	14.5	3.0	0.1	-	100.0	
EXTRANEous MATTER															Average Staple 34.7 Percent Tenderable 79.2	
Bark - Level 1		0.8														
Bark - Level 2		-														
Grass - Level 1		0.4														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

139,462 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	0.4
	3	-	-	-	-	-	-	0.1	0.5	0.8	0.5	0.1	-	-	-	2.1
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	0.2	0.6	1.0	0.5	0.1	-	-	-	2.5
31	1-2	-	-	-	-	-	*	0.1	0.4	0.4	0.1	*	*	*	*	1.1
	3	-	-	-	-	-	0.3	1.9	7.6	15.8	11.9	3.5	0.6	*	*	41.7
	4	-	-	-	-	-	*	0.1	0.5	1.5	2.3	1.4	0.4	*	*	6.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	TOTAL	-	-	*	*	*	0.3	2.1	8.5	17.7	14.3	5.0	1.1	*	*	*
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	0.2	1.1	5.0	10.6	8.5	2.5	0.4	*	*	*	28.3
	4	-	-	*	*	0.1	0.3	1.5	4.4	6.0	3.1	0.9	*	*	*	16.4
	5	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.2	*	*	*	1.3
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	*	*	*	0.2	1.5	6.6	15.3	15.0	5.9	1.5	0.1	*	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*
	TOTAL	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*
	TOTAL	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
42	1-2	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	4	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	*	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	-	*	*	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	-	-	-	*	-	*	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	*	*	0.1	0.7	4.0	16.2	34.6	30.3	11.3	2.7	0.1	*	*	100.0
EXTRANEIOUS MATTER																Average Staple 34.3 Percent Tenderable 72.4
Bark - Level 1	0.6															
Bark - Level 2	*															
Grass - Level 1	0.4															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

2,011,501 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: December 28, 2006

QUALITY	LEAF	STAPLE														
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.2	0.7	0.7	0.3	0.1	*	-	-	-	2.1
	3	-	-	-	0.1	0.2	0.6	1.8	2.3	2.4	1.3	0.5	0.1	-	*	9.4
	4	-	*	-	*	0.1	0.2	0.5	0.3	0.6	0.3	0.1	*	-	-	2.1
	5	-	*	-	-	*	*	*	*	*	*	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	0.1	0.4	1.0	3.0	3.3	3.3	1.7	0.7	0.2	*	-	13.8
31	1-2	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	-	1.2
	3	-	*	0.1	0.1	0.5	1.7	3.5	5.7	5.8	3.4	2.0	0.4	*	-	23.2
	4	-	*	0.1	0.2	0.9	2.5	5.0	3.7	3.8	2.1	1.2	0.4	*	-	19.9
	5	-	*	0.1	*	0.4	0.9	4.0	2.5	1.3	0.8	0.4	0.1	*	-	10.6
	6	-	*	*	*	*	0.1	0.6	0.6	0.2	0.2	*	*	*	-	1.8
	7	-	-	*	-	*	*	*	*	*	*	-	*	-	-	0.1
	TOTAL	-	*	0.2	0.4	1.8	5.3	13.4	12.8	11.3	8.7	3.7	1.0	0.1	-	56.7
41	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	*	*	*	*	0.2	0.5	0.5	0.4	0.2	*	*	-	-	1.7
	4	-	*	*	*	*	0.1	0.4	0.9	1.1	1.1	0.5	0.1	*	-	4.4
	5	-	*	*	0.1	0.3	0.7	1.7	1.6	1.2	0.8	0.2	*	*	-	6.7
	6	-	*	-	0.1	0.2	0.6	0.9	0.7	0.4	0.4	0.1	*	*	-	3.4
	7	-	-	*	*	*	0.2	0.3	0.2	*	0.1	*	*	-	-	0.9
	TOTAL	-	*	*	0.3	0.7	2.0	4.4	4.1	3.0	2.0	0.4	0.1	*	-	17.1
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	*	0.1	*
	5	-	-	-	*	-	*	*	-	*	*	-	-	-	-	*
	6	-	-	*	*	*	*	*	-	*	*	-	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	0.1	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	*	0.1	0.2	0.4	0.2	0.1	*	0.1	0.1	0.1	*	1.4
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	-	-	-	-	-	*	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	*	0.1	0.3	0.6	0.3	0.2	*	0.1	0.1	0.1	*	2.0	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	0.1	0.2	0.4	0.6	0.6	0.4	0.3	0.1	*	2.8
	4	-	*	*	*	*	0.1	0.1	0.2	0.3	0.4	0.3	0.2	0.1	*	1.8
	5	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.8
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	0.1	0.2	0.4	0.8	0.8	1.1	1.0	0.8	0.5	0.1	*	5.8
42	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	*	0.1	*	0.1	*	*	*	0.3
	5	-	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	1.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	*	-	*	*	-	*	*	-	-	-	-	*
	6	-	-	*	*	-	*	*	-	*	*	-	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	TOTAL----	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	*	*	-	-	*	*	-	*	-	-	*	
	3	-	-	-	-	*	*	*	*	-	*	*	*	*	-	0.1	
	4	-	-	-	-	*	*	*	*	-	-	-	*	-	*	*	
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	*	0.1	*	*	-	*	*	*	*	*	0.2	
33	1-2	-	-	-	-	*	-	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	*	-	0.9	
	4	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	-	*	*	-	-	-	*	*	
	7	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----	-	-	-	*	0.1	0.2	0.1	0.3	0.2	0.3	0.2	0.1	*	-	1.6	
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	-	*	*	-	*	*	-	-	-	*	*	
	7	-	-	-	*	*	*	*	-	*	*	*	*	*	-	*	
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*	
	TOTAL----	-	-	-	-	*	*	*	-	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
24-54	1-7	-	-	-	*	*	0.1	*	*	*	0.1	*	-	-	-	0.3	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	*	0.1	0.2	0.1	*	*	*	*	*	-	-	0.5	
TOTAL, ALL		-	0.1	0.3	1.0	3.4	9.7	23.1	22.2	19.6	12.0	6.1	2.2	0.4	*	100.0	
EXTRANEIOUS MATTER																Average Staple Percent Tenderable	34.1 53.4
Bark - Level 1		11.7															
Bark - Level 2		-															
Grass - Level 1		0.2															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

72,319 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	0.3	0.7	0.6	0.3	0.1	*	*	-	-	2.0	
	3	-	-	-	*	0.1	0.5	1.4	1.8	1.0	0.4	0.1	-	-	-	5.4	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	0.1	0.8	2.2	2.5	1.3	0.5	0.1	*	*	-	7.5	
31	1-2	-	-	-	*	0.1	0.3	0.9	0.8	0.3	0.1	*	*	-	-	2.4	
	3	-	-	-	*	0.4	3.4	11.2	15.2	9.2	3.3	0.7	*	*	-	43.6	
	4	-	-	-	*	*	0.3	1.2	2.5	2.7	1.5	0.5	*	*	-	8.8	
	5	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.4	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*	
	TOTAL	-	-	-	*	0.6	4.1	13.4	18.6	12.3	5.0	1.3	0.1	*	-	55.3	
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	-	*	0.1	0.8	3.4	5.4	3.4	1.1	0.2	*	*	-	14.3	
	4	-	-	-	*	*	0.3	1.5	3.6	4.1	2.2	0.7	0.1	*	*	12.5	
	5	-	-	-	*	*	0.1	0.1	0.3	0.5	0.4	0.2	0.1	*	*	1.7	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	*	0.2	1.2	5.1	9.4	8.0	3.7	1.2	0.1	*	*	28.8	
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	0.1	0.3	0.1	*	*	*	*	-	0.6	
	4	-	-	-	*	*	*	0.1	0.4	0.5	0.2	0.1	*	*	-	1.3	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	*	*	*	*	0.2	0.7	0.7	0.3	0.2	*	*	*	2.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	*	*	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	0.1
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	0.9	
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.5	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	*	*	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	1.5
42	1-2	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	*	-	0.8	
	3	-	-	-	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	1.4	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	*	*	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	2.4
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3

* Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	-
	4	-	-	-	-	-	■	*	■	*	-	-	■	-	-	■	-
	5	-	-	-	-	-	■	■	■	■	-	-	■	-	-	*	-
	6	-	-	-	-	-	-	■	■	■	-	-	-	-	-	*	-
	7	-	-	-	-	-	-	-	-	■	-	-	-	-	-	■	-
	TOTAL	-	-	-	-	-	*	*	■	■	■	■	■	-	-	*	-
13 & 23	1-2	-	-	-	-	-	*	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	-
	4	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*	-
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
33	1-2	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	4	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	0.1	0.3	0.3	0.1	*	*	*	1.0
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4
25-35	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	-
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	-
TOTAL, ALL	ALL	-	-	*	0.9	6.4	21.8	33.1	24.1	10.4	3.0	0.3	*	*	*	*	100.0
EXTRANEous MATTER																	Average Staple 34.2 Percent Tenderable 69.6
Bark - Level 1	0.1																
Bark - Level 2	-																
Grass - Level 1	0.5																
Grass - Level 2	-																
Prep - Level 1	0.1																
Prep - Level 2	-																
Other - Level 1	*																
Other - Level 1	-																

1,255,281 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	-	-	-	-	1.4
	3	-	-	*	*	0.1	0.5	1.1	1.5	1.0	0.3	*	*	-	-	4.6
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL ---	-	-	*	*	0.1	0.8	1.7	2.0	1.2	0.4	*	*	-	-	6.3
31	1-2	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	*	-	1.6
	3	-	-	*	*	0.4	2.5	6.3	9.0	6.5	2.2	0.4	*	*	-	27.3
	4	-	-	*	*	0.1	0.5	1.7	3.5	3.8	1.8	0.4	*	*	*	11.9
	5	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL ---	-	-	*	*	0.5	3.4	8.5	13.1	10.7	4.2	0.9	*	*	*	41.4
41	1-2	-	-	*	*	*	0.1	0.1	*	*	*	*	*	-	-	0.2
	3	-	-	*	*	0.2	1.4	3.5	4.7	2.9	0.8	0.2	*	*	-	13.8
	4	-	-	*	*	0.1	1.1	3.6	7.2	7.1	3.1	0.7	0.1	*	*	23.0
	5	-	-	*	*	*	0.3	0.7	1.2	1.4	0.8	0.3	*	*	-	4.8
	6	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL ---	-	-	*	*	0.4	2.8	8.0	13.3	11.6	4.8	1.2	0.1	*	*	42.3
51	1-2	-	-	*	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.8
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL ---	-	-	*	*	*	*	*	0.2	0.4	0.5	0.4	0.2	*	*	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL ---	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL ---	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL ---	-	-	*	*	*	*	*	*	0.1	*	*	*	*	-	0.2
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	1.3
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	1.0
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL ---	-	-	*	*	0.1	0.5	0.7	0.7	0.4	0.1	*	*	-	-	2.5
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-	-	1.0
	4	-	-	*	*	0.1	0.3	0.7	0.8	0.6	0.2	*	*	-	-	2.6
	5	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL ---	-	-	*	*	0.1	0.6	1.1	1.4	0.9	0.3	*	*	-	-	4.6
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL ---	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	-	-

* Less than 0.05 percent.

Table 11. — **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed: December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	-	*	-	-	-	-	-	*
	5	-	-	*	-	*	*	*	*	-	*	-	-	-	-	*
	6	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	*	-	*	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.5
53	1-2	-	-	-	*	*	*	*	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	*	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	*	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	*	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	*	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	*	0.1	1.4	8.5	20.8	31.4	25.5	10.0	2.3	0.1	*	*	100.0
EXTRANEous MATTER																Average Staple 34.1 Percent Tenderable 63.1
Bark - Level 1	0.2															
Bark - Level 2	-															
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

2,029,017 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE													TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.4	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.2	0.1	-	*	-	0.5	
31	1-2	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2	
	3	-	-	-	-	*	*	*	*	0.5	3.2	6.7	4.0	0.3	*	-	14.7
	4	-	-	-	-	*	*	*	*	0.1	1.3	4.4	3.5	0.2	*	*	9.7
	5	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	*	*	0.6	4.6	11.3	7.7	0.5	*	*	24.7
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	*	0.9	5.3	9.6	5.2	0.3	*	*	21.4
	4	-	-	-	-	*	*	*	*	0.5	4.7	16.0	14.4	1.7	0.2	*	37.5
	5	-	-	-	-	*	*	*	*	*	0.2	1.1	1.8	0.3	*	*	3.5
	6	-	-	-	-	*	*	*	*	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	*	*	0.1	1.4	10.3	26.8	21.4	2.3	0.2	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	0.1	0.4	0.6	0.3	*	*	-	1.4
	4	-	-	-	-	*	*	*	*	0.1	0.5	1.5	1.1	0.1	-	-	3.2
	5	-	-	-	-	*	*	*	*	*	0.1	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	*	*	0.1	1.0	2.3	1.5	0.2	*	*	5.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
32	1-2	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	*	
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4	
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	*	*	0.2	0.3	0.2	*	*	*	0.8	
42	1-2	-	-	-	-	-	-	*	*	0.1	0.5	0.6	0.2	*	*	-	1.4
	3	-	-	-	-	-	-	*	*	0.1	0.6	1.3	0.7	*	*	-	2.7
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	*	*	0.2	1.1	2.0	1.0	0.1	*	*	4.4
52	1-2	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	*	
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2	
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	*	*	0.2	0.3	0.2	*	*	-	0.8	

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed: December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	0.3	
	4	-	-	-	-	*	*	*	*	*	0.1	0.2	0.1	*	0.4	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	0.2	0.3	0.2	*	0.7	
53	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	-	-	-	-	*	-	-	-	-	*	*	
TOTAL, ALL		-	-	*	*	*	0.1	2.6	17.7	43.8	32.4	3.1	0.3	*	100.0	
EXTRANEous MATTER															Average Staple 36.2 Percent Tenderable 86.4	
Bark - Level 1	0.1															
Bark - Level 2	-															
Grass - Level 1	-															
Grass - Level 2	-															
Prep - Level 1	0.3															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

951,028 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	0.2	1.0	4.9	6.1	1.2	0.2	-	13.7
	3	-	-	-	-	-	-	-	0.2	0.6	2.3	6.3	2.5	0.5	0.1	12.6
	4	-	-	-	-	-	-	-	0.1	0.1	-	0.2	0.2	0.1	-	0.8
	5	-	-	-	-	-	-	-	*	*	-	-	*	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	0.5	1.7	7.3	12.6	3.9	0.9	0.1	27.2
31	1-2	-	-	-	-	-	-	-	0.1	1.2	4.0	7.0	1.6	0.2	*	14.2
	3	-	-	-	-	-	-	*	0.7	2.0	8.0	19.8	8.6	2.3	0.2	41.5
	4	-	-	-	-	-	*	0.4	0.5	1.3	3.1	2.6	1.4	0.6	0.6	9.8
	5	-	-	-	-	-	-	*	0.1	0.2	0.3	0.3	0.2	0.2	0.2	1.3
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	1.2	3.8	13.5	30.2	13.1	4.1	1.0	66.9
41	1-2	-	-	-	-	-	-	*	*	*	0.1	0.1	-	-	-	0.3
	3	-	-	-	-	-	*	*	0.1	0.6	0.7	0.4	0.2	*	2.0	
	4	-	-	-	-	-	*	*	0.1	0.8	0.6	0.7	0.5	0.1	2.9	
	5	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	0.6		
	6	-	-	-	-	-	-	*	*	*	*	-	-	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	*	*	*	0.2	1.6	1.7	1.4	0.8	0.2	5.9
51	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	-	-	-	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
42	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	-	-	-	*	1.7	5.8	22.4	44.5	18.5	5.8	1.3	100.0
EXTRANEous MATTER																Average Staple 36.9 Percent Tenderable 79.5
Bark - Level 1	1.4															
Bark - Level 2	-															
Grass - Level 1	0.4															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															

29,318 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE															
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-	-	
	3	-	-	-	-	-	-	0.1	0.1	-	*	-	-	-	-	0.2	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	*	0.1	0.1	-	*	-	-	-	0.2	
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	*	*	*	*	0.1	0.6	2.5	4.3	2.7	0.7	0.1	*	*	11.0
	4	-	-	-	*	*	*	0.1	0.9	2.2	2.0	0.7	0.1	*	*	*	6.1
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	*	*	*	*	0.1	0.8	3.5	6.7	4.8	1.5	0.2	*	*	17.5
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	*	*	*	*	0.2	1.6	6.7	11.2	6.2	1.3	0.1	*	*	27.3
	4	-	-	-	*	*	*	0.1	0.9	5.5	14.1	12.8	4.3	0.5	*	*	38.3
	5	-	-	-	-	*	*	0.1	0.7	2.0	2.5	1.3	0.3	*	*	*	6.9
	6	-	-	-	*	*	*	0.1	0.2	0.2	0.2	*	*	*	*	*	0.6
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	*	0.3	2.7	13.0	27.5	21.7	7.1	0.9	0.1	*	73.2
51	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	*	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0	
	4	-	-	-	*	*	*	0.1	0.5	1.0	0.8	0.2	*	-	-	2.7	
	5	-	-	-	-	*	*	*	0.2	0.4	0.4	0.2	*	*	*	1.1	
	6	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	TOTAL	-	-	*	*	*	*	0.3	1.0	1.9	1.4	0.5	0.1	*	*	*	5.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	4	-	-	-	*	*	*	*	*	0.1	0.3	0.5	0.4	0.1	*	*	1.3
	5	-	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	*	*	0.2	0.5	0.9	0.7	0.3	*	*	*	2.6
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	-	*	

* Less than 0.05 percent.

Table 14. -- *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed: December 28, 2006

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
43	1-2	-	-	-	-	-	*	*	-	*	*	*	*	*	*	*	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.3
53	1-2	-	-	-	-	*	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
24-54	1.7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1.7	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*	-
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
TOTAL, ALL		-	-	*	*	*	*	0.4	4.0	18.3	37.4	28.9	9.5	1.2	0.1	*	100.0
EXTRANEIOUS MATTER																	Average Staple 35.2 Percent Tenderable 84.1
Bark - Level 1	0.6																
Bark - Level 2	*																
Grass - Level 1	0.9																
Grass - Level 2	*																
Prep - Level 1	0.2																
Prep - Level 2	*																
Other - Level 1	*																
Other - Level 1	-																

1,225,624 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- *Oklahoma*: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1-2	-	-	-	-	0.1	0.3	1.0	2.4	3.9	5.2	1.3	0.1	*	14.2		
	3	-	-	-	*	0.1	0.2	0.5	1.2	2.7	3.5	4.7	1.5	0.2	*	14.5	
	4	-	-	*	-	*	*	*	0.1	0.2	0.2	*	*	*	*	0.9	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL ----	-	-	*	*	0.1	0.3	0.8	2.3	5.3	7.7	10.0	2.8	0.3	*	29.7	
31	1-2	-	-	*	*	*	0.1	0.3	0.7	1.1	1.8	2.3	0.5	*	*	6.8	
	3	-	*	*	*	0.1	0.3	0.7	1.6	3.1	5.2	7.6	12.1	4.1	0.6	*	35.3
	4	-	*	*	*	0.1	0.2	0.5	0.9	1.6	2.0	2.3	2.1	0.7	0.1	*	10.5
	5	-	*	*	*	*	*	0.1	0.2	0.3	0.4	0.4	0.3	0.1	*	*	1.8
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*	
	TOTAL ----	-	*	*	*	0.2	0.6	1.4	3.0	5.7	8.7	12.0	16.7	5.4	0.8	*	54.5
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	*	0.1	0.1	0.3	0.4	0.5	0.5	0.1	*	-	2.0
	4	-	*	*	*	*	0.1	0.2	0.3	0.5	0.5	0.6	0.5	0.1	*	-	2.9
	5	-	*	*	*	*	0.1	0.2	0.3	0.4	0.4	0.5	0.4	0.1	*	*	2.4
	6	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL ----	-	*	*	*	0.1	0.2	0.5	0.9	1.2	1.5	1.7	1.6	0.3	*	*	8.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL ----	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL ----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL ----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
12 & 22	1-2	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	-	0.7	
	3	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.2	0.2	*	*	-	1.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	*	-	*	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL ----	-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.4	0.3	*	*	-	2.0
32	1-2	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.4	0.4	0.2	*	*	0.1
	3	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.2	0.2	0.1	*	*	1.5
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.2	0.2	0.1	*	*	1.0
	5	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL ----	-	*	*	*	*	*	0.1	0.3	0.4	0.5	0.6	0.6	0.3	*	*	3.0
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	5	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	6	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL ----	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	1.0
52	1-2	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL ----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 15. — *Oklahoma*: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL	
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	*	0.2	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	*	-	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3	
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	5	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	TOTAL	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	0.8	
43	1-2	-	-	*	*	-	-	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3	
53	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*	
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
24-54	1.7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
81-85 1/	1.7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
All Colors	8.2/	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL		-	*	0.1	0.4	1.4	3.0	5.7	10.5	17.0	22.8	29.2	8.7	1.2	*	100.0	
EXTRANEIOUS MATTER																Average Staple Percent Tenderable	35.7 66.8
Bark - Level 1	4.6																
Bark - Level 2	*																
Grass - Level 1	*																
Grass - Level 2	-																
Prep - Level 1	*																
Prep - Level 2	-																
Other - Level 1	*																
Other - Level 1	-																

161,834 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE															TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	PCT.			
11 & 21	1-2	-	-	-	-	-	*	*	-	-	*	*	-	-	-	0.1			
	3	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6			
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	■			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	TOTAL	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7			
31	1-2	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3			
	3	-	-	-	*	*	0.4	1.6	4.5	7.8	5.0	1.0	*	*	-	20.4			
	4	-	-	-	*	*	0.1	0.4	0.8	1.8	2.0	0.8	0.1	*	*	6.0			
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	0.3			
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	TOTAL	-	-	-	*	*	*	0.5	2.0	5.5	9.9	7.1	1.8	0.2	*	*	27.1		
41	1-2	-	-	-	*	*	*	*	*	0.1	*	*	-	-	-	0.2			
	3	-	-	*	*	*	*	0.3	1.8	7.5	14.0	7.2	1.6	0.1	*	*	32.5		
	4	-	-	*	*	*	*	0.2	1.1	4.3	10.0	8.4	3.5	0.7	0.1	*	28.2		
	5	-	-	*	*	*	*	0.1	0.2	0.7	1.2	1.2	0.9	0.3	*	*	4.6		
	6	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.5		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*			
	TOTAL	-	-	*	*	0.1	0.6	3.1	12.6	25.4	16.8	6.0	1.1	0.1	*	*	65.8		
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*			
	3	-	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	*	-	*	0.8		
	4	-	-	-	*	*	*	*	0.1	0.5	0.7	0.5	0.2	*	-	*	2.1		
	5	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	0.8		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*			
	TOTAL	-	-	-	*	*	*	0.3	1.0	1.3	0.8	0.4	0.1	*	*	*	3.9		
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*			
	5	-	-	-	-	-	*	*	*	*	*	-	*	-	-	*			
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*			
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*			
	3	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3		
	4	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	0.6		
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*			
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4		
	4	-	-	-	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.8	
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	-	*	*	*	*	0.1	0.4	0.5	0.4	0.1	*	*	*	1.5		
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2		

* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	■	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	■	-	■	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
24-54	1-7	-	-	-	-	-	*	-	*	*	*	*	*	*	*	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL, ALL		-	-	*	*	0.1	1.2	5.8	19.9	37.6	25.4	8.4	1.4	0.1	*	100.0	
EXTRANEIOUS MATTER																	Average Staple 35.1 Percent Tenderable 78.3
Bark - Level 1		0.2															
Bark - Level 2		=															
Grass - Level 1		0.6															
Grass - Level 2		=															
Prep - Level 1		0.1															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

364,222 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: December 28, 2006

QUALITY	LEAF	STAPLE															
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	0.1	0.2	0.2	-	*	-	-	-	0.5	
	3	-	-	-	*	*	*	0.3	0.8	1.1	0.6	0.1	*	*	-	2.9	
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2	
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	0.4	1.1	1.3	0.7	0.1	*	*	-	3.7	
31	1-2	-	-	-	*	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7	
	3	-	-	*	*	*	*	0.5	2.8	8.4	11.1	6.2	1.5	*	*	-	30.5
	4	-	-	-	*	*	*	0.1	0.6	2.9	6.6	6.1	2.2	0.1	*	*	18.6
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.5	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	*	*	*	*	0.6	3.6	11.6	18.0	12.6	3.8	0.2	*	*	50.4
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	0.1
	3	-	-	*	*	*	*	0.2	1.1	3.2	4.6	3.3	1.0	*	*	-	13.5
	4	-	-	-	*	*	*	0.1	0.7	2.8	7.1	8.4	4.0	0.3	*	*	23.4
	5	-	-	-	*	*	*	*	0.2	0.6	1.1	0.7	0.1	*	*	*	2.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	*	0.3	1.8	6.3	12.4	12.9	5.8	0.4	*	*	39.9
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	0.5
	3	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	-	*	0.5
	4	-	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.1	*	*	-	1.1
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	*	0.1	0.4	0.6	0.6	0.2	*	*	*	*	1.9
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
32	1-2	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	*	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.7	
	4	-	-	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.2	0.1	*	*	*	1.3
42	1-2	-	-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	-	*	-
	3	-	-	-	*	*	*	*	*	*	0.1	0.2	0.3	0.4	0.3	*	0.5
	4	-	-	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	1.2
	5	-	-	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	*	*	*	*	0.1	0.3	0.5	0.7	0.4	*	*	*	*	2.0
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	-
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	*	*	0.1	1.0	6.3	20.1	33.3	27.9	10.6	0.6	*	*	100.0
EXTRANEIOUS MATTER															Average Staple	35.2
															Percent Tenderable	76.9
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,255,318 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE																
		26 1/2 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	12.6		
	3	-	*	*	0.1	0.2	0.4	0.9	2.4	5.4	8.5	10.0	2.9	0.6	0.1	31.5		
	4	-	*	*	*	*	*	*	0.1	0.2	0.5	0.8	1.0	0.3	*	3.2		
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	TOTAL	*	*	*	0.1	0.4	0.8	1.7	3.9	8.5	13.1	14.2	3.8	0.8	0.1	47.4		
31	1-2	*	*	*	*	*	*	0.1	0.2	0.3	0.5	0.5	0.3	*	*	2.0		
	3	*	*	*	*	*	*	0.1	0.4	1.1	2.7	4.4	5.4	5.6	1.7	0.4	*	22.0
	4	-	*	*	*	*	*	0.1	0.4	1.1	2.1	2.9	3.5	1.3	0.3	*	11.8	
	5	-	*	*	*	*	*	*	0.1	0.1	0.3	0.4	0.5	0.2	*	*	1.7	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	*	*	*	*	*	0.2	0.6	1.8	4.3	7.3	9.3	10.0	3.2	0.8	0.1	37.5	
41	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2		
	3	-	*	*	*	*	*	0.1	0.2	0.4	0.5	0.5	0.4	0.1	*	*	2.2	
	4	-	*	*	*	*	*	*	0.2	0.5	0.9	1.0	1.3	0.4	0.1	*	4.3	
	5	-	*	*	*	*	*	*	0.1	0.1	0.3	0.4	0.5	0.2	*	*	1.6	
	6	-	*	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	*	*	*	*	*	*	0.1	0.5	1.1	1.8	2.0	2.3	0.7	0.1	*	8.6	
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	3	-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2		
	4	-	-	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	0.5		
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2		
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	-	*	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	0.9		
61	1-2	-	-	-	*	-	*	-	*	-	-	-	-	-	*	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	6	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*		
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*		
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
71	1-2	-	-	-	*	-	*	-	*	-	-	-	-	-	*	*		
	3	-	-	-	*	-	*	-	*	*	*	*	*	*	-	*		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*		
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*		
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
12 & 22	1-2	-	*	*	*	*	0.1	0.1	0.1	0.1	*	0.1	*	*	*	0.5		
	3	*	*	*	*	*	0.1	0.1	0.1	0.2	0.2	0.2	0.1	*	*	1.2		
	4	*	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3		
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	*	*	*	*	*	0.1	0.2	0.3	0.2	0.3	0.4	0.2	*	*	2.1		
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	3	*	*	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5		
	4	*	*	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	0.6		
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2		
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	*	*	*	*	*	*	0.1	0.1	0.2	0.3	0.3	0.2	*	*	1.3		
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	4	-	*	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	0.6		
	5	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3		
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	-	*	*	*	*	*	*	0.1	0.1	0.3	0.2	0.2	*	*	1.0		
52	1-2	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	7	*	*	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	0.1	*	*	0.2		

* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	-	*	-	-	-	-	-	-	-
	3	-	-	-	*	■	■	*	■	■	■	■	■	■	-	-
	4	-	-	-	■	■	■	■	■	■	■	■	■	*	-	-
	5	-	-	-	*	-	■	*	*	*	*	*	*	*	-	-
	6	-	*	*	-	-	*	*	*	*	*	*	*	-	-	-
	7	*	*	*	-	-	*	*	*	*	*	*	*	-	-	-
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	*	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	*	*	*	-	*	*	*	-	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		*	*	0.1	0.4	0.9	2.0	4.4	10.2	19.0	25.7	27.5	7.8	1.7	0.2	100.0
EXTRANEOUS MATTER																Average Staple 35.8 Percent Tenderable 61.3
Bark - Level 1		13.0														
Bark - Level 2		-														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		0.1														
Other - Level 1		*														

4,675,958 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- **Virginia**: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	-	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	*	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	*	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	*	-	*	-	*	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
31	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	1.0	2.5	2.4	1.2	0.1	*	-	7.3
	4	-	-	-	-	*	*	0.1	0.4	1.8	2.2	1.3	0.2	*	*	5.9
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	-	*	*	-	-	*	-
	7	-	-	-	-	*	*	*	*	-	*	*	-	-	-	-
	TOTAL	-	-	-	-	*	*	0.2	1.4	4.3	4.7	2.6	0.3	*	*	13.6
41	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	1.0	4.9	10.0	7.3	3.1	0.3	*	-	26.7
	4	-	-	-	*	*	*	0.5	4.1	14.7	16.3	7.2	1.0	*	*	43.9
	5	-	-	-	*	*	*	0.1	0.4	1.7	2.6	1.4	0.1	*	*	6.3
	6	-	-	-	*	*	*	*	*	0.1	0.1	*	*	-	-	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	*	0.1	1.6	9.4	26.6	26.3	11.7	1.5	*	*
51	1-2	-	-	-	-	*	*	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.3	0.5	0.2	0.1	*	-	-	1.3
	4	-	-	-	-	*	*	*	0.4	1.1	0.7	0.2	*	-	-	2.5
	5	-	-	-	-	*	*	*	*	0.2	0.2	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	*	0.2	0.8	1.9	1.1	0.3	*	*	-	4.3
61	1-2	-	-	-	-	*	*	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	*	*	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	*	*	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	*	*	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	*	*	-	-	*	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	-	-	*	-	*	-	-	-	*
71	1-2	-	-	-	-	*	*	-	-	*	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	-	*	-	-	-	-	-	-
	4	-	-	-	-	*	*	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	*	*	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	*	*	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	*	*	-	-	*	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	-	-	*	-	*	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	*	*	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.5
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	-	0.8
42	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	*
	3	-	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	1.0
	4	-	-	-	-	*	*	0.1	0.4	0.8	0.7	0.2	*	*	*	2.2
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	*	*	0.2	0.7	1.2	1.1	0.4	*	*	-	3.5
52	1-2	-	-	-	-	*	*	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
December 28, 2006

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	-	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/2	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL	-	-	-	*	*	0.1	2.2	12.5	34.4	33.7	15.1	1.9	*	*	*	100.0
EXTRANEIOUS MATTER																Average Staple 35.5 Percent Tenderable 86.9
Bark - Level 1	0.3															
Bark - Level 2	-															
Grass - Level 1	1.1															
Grass - Level 2	-															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

136,851 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through December 28, 2006

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE									
24 & below	*	*	-	*	*	*	-	*	-
25	*	*	*	*	*	*	0.1	*	*
26	*	*	*	*	*	*	0.3	*	*
27	*	0.1	*	*	0.1	*	0.6	*	*
28	*	*	*	0.1	0.1	*	0.5	*	*
29	*	0.1	*	0.1	0.1	*	0.8	*	*
30	*	0.1	*	0.1	0.1	*	1.4	*	*
31	*	0.2	*	0.2	0.1	*	2.5	*	*
32	0.1	0.3	*	0.3	0.2	0.1	2.9	*	*
33	0.1	0.3	*	0.5	0.3	0.1	3.1	*	0.1
34	0.1	0.5	0.1	0.7	0.4	0.1	3.3	*	0.2
35	0.2	0.6	0.2	1.2	0.5	0.3	3.8	0.1	0.3
36	0.4	0.9	0.4	2.1	0.7	0.4	3.9	0.2	0.5
37	0.6	1.5	0.8	3.3	1.0	0.6	4.5	0.3	0.7
38	0.9	2.0	1.4	4.5	1.4	0.9	5.1	0.5	1.0
39	1.4	2.9	2.5	6.2	1.7	1.2	5.0	0.8	1.4
40	2.2	3.7	3.9	7.6	2.6	1.7	4.6	1.3	2.1
41	3.1	4.2	5.7	9.2	3.5	2.3	4.5	2.0	3.0
42	4.3	4.6	7.5	10.6	4.7	3.3	5.2	2.9	4.3
43	5.6	5.2	9.3	10.9	5.9	4.6	5.9	4.1	5.7
44	7.4	6.3	10.5	11.0	7.5	6.2	7.4	5.7	6.9
45	8.6	7.6	10.7	10.0	8.8	8.1	6.4	7.8	8.2
46	9.5	8.9	10.4	8.4	10.6	10.1	6.9	10.5	9.4
47	10.5	9.9	9.9	5.4	11.7	11.8	5.5	13.6	10.6
48	10.6	9.9	8.7	3.2	11.1	12.6	4.6	15.8	11.2
49	9.8	9.1	6.8	2.0	10.2	11.9	3.3	14.8	10.7
50	8.4	7.6	4.8	1.1	7.6	9.5	2.3	10.3	9.0
51	6.7	5.9	3.1	0.7	4.5	6.9	2.0	5.5	6.5
52	4.5	3.9	1.7	0.4	2.7	4.2	1.6	2.3	4.2
53	2.6	2.3	0.9	0.2	1.2	2.0	1.0	0.9	2.5
54	1.2	0.8	0.4	*	0.5	0.7	0.5	0.3	1.2
55	0.6	0.3	0.1	*	0.2	0.2	0.3	0.1	0.4
56	0.3	0.1	*	*	0.1	*	0.1	*	0.1
57	0.1	*	*	*	*	*	*	*	*
58	*	-	*	-	*	-	-	-	*
59	*	-	*	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	47	46	45	43	46	47	42	47	47
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-
20	*	-	-	-	*	*	-	-	-
21	*	-	*	-	*	*	*	*	*
22	*	-	*	-	*	*	*	*	*
23	0.1	*	*	*	*	*	0.1	0.2	0.1
24	0.5	0.2	0.1	*	0.2	0.2	0.4	1.0	0.8
25	2.6	1.0	0.5	*	1.4	1.3	0.7	4.5	3.0
26	8.7	3.1	1.9	0.2	7.0	5.7	2.6	14.0	8.3
27	19.1	6.7	6.8	0.9	21.1	16.2	10.8	24.2	16.1
28	25.3	12.0	17.1	2.0	34.4	28.5	18.3	23.9	21.6
29	21.4	18.3	25.7	3.2	22.9	26.4	18.9	16.9	21.2
30	12.7	21.5	25.2	4.8	8.8	14.1	19.1	9.3	15.7
31	5.9	18.3	15.0	6.2	2.9	5.4	17.5	4.1	8.4
32	2.3	11.3	5.7	8.0	0.9	1.7	8.0	1.4	3.4
33	0.9	5.1	1.4	11.9	0.2	0.5	2.6	0.4	0.9
34	0.3	1.9	0.4	19.8	*	0.1	0.7	0.1	0.4
35	0.1	0.6	0.1	22.4	*	*	0.1	*	0.1
36 & above	*	0.1	*	20.6	*	*	0.1	*	*
Average strength	28.3	29.9	29.4	33.7	28.1	28.5	29.4	27.9	28.5

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through December 28, 2006

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	-	0.2	*	0.1	*	*	0.8	-	0.2
25	*	0.1	*	0.1	*	*	0.7	-	0.2
26	*	0.5	*	0.1	*	*	1.0	-	0.3
27	*	0.5	*	0.2	*	*	1.3	-	0.4
28	*	0.4	*	0.3	*	*	1.6	-	0.4
29	0.1	0.8	*	0.3	*	*	1.9	*	0.5
30	0.2	0.9	*	0.3	0.1	*	2.2	*	0.6
31	0.3	1.5	*	0.4	0.1	*	2.5	*	0.7
32	0.5	2.4	*	0.6	0.1	0.1	2.8	*	0.8
33	0.8	4.3	*	0.7	0.2	0.1	3.1	*	0.9
34	1.2	6.1	0.1	0.8	0.2	0.1	3.4	0.1	1.1
35	1.6	7.5	0.2	1.0	0.4	0.2	3.6	0.2	1.3
36	2.1	8.6	0.2	1.3	0.6	0.3	3.9	0.4	1.5
37	3.0	8.6	0.5	1.6	0.9	0.6	4.3	0.7	1.8
38	4.2	10.5	1.0	1.9	1.3	0.9	4.7	1.1	2.3
39	5.4	10.5	1.9	2.3	1.9	1.4	5.1	2.0	2.9
40	6.9	9.0	3.6	2.9	2.8	2.1	5.7	3.2	3.8
41	8.1	8.0	5.9	3.8	4.0	3.1	6.2	5.3	4.8
42	9.0	7.1	8.5	4.6	5.5	4.5	6.5	7.6	5.9
43	9.7	5.2	10.4	5.4	7.1	6.1	6.6	10.1	7.0
44	9.6	3.5	11.2	6.4	8.5	7.9	6.4	12.3	7.8
45	9.3	1.7	11.3	7.8	9.6	9.7	5.9	13.2	8.4
46	8.2	1.0	10.8	8.7	10.4	11.1	5.2	12.0	8.7
47	6.9	0.7	9.7	9.7	10.5	11.8	4.4	10.3	8.9
48	5.5	0.3	8.2	9.9	9.9	11.2	3.4	8.2	8.4
49	3.5	0.1	6.4	9.0	8.6	9.5	2.5	5.9	7.2
50	2.0	*	4.5	7.4	6.6	7.1	1.7	3.5	5.5
51	1.0	*	2.9	5.3	5.0	4.8	1.1	2.0	3.7
52	0.5	*	1.6	3.3	3.2	3.2	0.7	1.1	2.2
53	0.2	*	0.7	1.9	1.6	2.1	0.3	0.5	1.2
54	0.1	*	0.3	1.1	0.7	1.3	0.2	0.2	0.5
55	*	-	0.1	0.5	0.1	0.6	0.1	*	0.2
56	*	-	*	0.3	*	0.1	*	*	0.1
57	*	-	*	0.1	*	*	*	-	*
58	*	-	*	*	*	*	*	-	*
59	-	-	-	*	-	*	*	-	*
60 & above	-	-	-	*	-	-	*	-	*
Average mike	43	38	45	46	46	47	40	45	46
FIBER STRENGTH 1/									
17 & below	-	-	-	*	-	-	*	-	*
18	-	-	-	*	-	-	*	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	-	*	-	-	*	-	*
21	-	-	-	*	-	-	0.1	-	*
22	*	-	*	0.1	*	*	0.2	*	0.1
23	*	0.1	*	0.2	*	*	0.6	*	0.2
24	*	0.8	0.1	0.5	0.2	*	1.4	0.1	0.6
25	0.3	3.0	0.4	1.2	0.8	0.2	3.1	0.3	1.8
26	1.4	6.3	2.2	2.9	2.9	1.2	6.1	1.3	5.1
27	5.4	8.2	7.5	5.8	8.4	4.4	9.8	5.2	10.9
28	14.7	12.2	16.7	9.8	18.3	12.0	13.1	13.8	17.5
29	25.2	16.6	24.3	12.5	25.3	22.9	16.1	23.5	20.6
30	27.4	19.0	21.7	13.5	22.0	26.6	17.6	23.9	18.3
31	16.7	13.2	14.1	13.8	13.0	18.9	15.6	16.3	12.2
32	6.5	9.7	7.8	12.9	6.0	9.1	10.0	8.9	6.4
33	1.9	6.5	3.7	10.6	2.3	3.4	4.4	4.5	2.8
34	0.4	3.1	1.3	7.8	0.7	1.0	1.5	1.8	1.6
35	0.1	1.3	0.2	4.8	0.1	0.2	0.4	0.3	1.1
36 & above	*	0.2	0.1	3.5	*	*	0.1	0.1	0.8
Average strength	29.6	29.6	29.6	30.8	29.3	29.9	29.3	29.8	29.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 28, 2006

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	*	*	-	-
74.5-75.4	*	*	-	-	*	*	*	*	*
75.5-76.4	*	*	*	*	*	*	*	0.1	*
76.5-77.4	0.4	0.1	0.1	*	0.2	0.4	0.2	1.1	0.5
77.5-78.4	3.6	1.2	0.6	0.3	2.2	4.4	1.5	7.1	3.4
78.5-79.4	14.2	5.9	3.2	1.4	12.8	16.6	8.4	22.9	12.7
79.5-80.4	28.9	20.1	11.0	4.0	41.2	34.2	27.2	29.9	24.7
80.5-81.4	30.9	35.3	23.8	11.3	30.5	27.2	39.2	21.9	28.8
81.5-82.4	17.2	28.3	37.6	29.9	9.7	11.9	20.1	12.7	22.0
82.5-83.4	4.5	8.1	20.5	36.0	3.2	4.4	3.1	3.8	7.3
83.5-84.4	0.4	0.9	3.0	13.4	0.3	0.9	0.1	0.4	0.6
84.5-85.4	*	*	0.2	3.1	*	*	*	*	*
85.5-86.4	*	*	*	0.6	-	*	-	*	*
86.5-87.4	-	-	-	*	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.6	81.1	81.7	82.5	80.4	80.4	80.8	80.2	80.8
TRASH 2/									
0.0	-	*	*	*	-	-	-	*	*
0.1	1.7	34.8	0.5	20.7	0.4	0.9	1.1	3.1	1.6
0.2	15.3	44.1	5.5	43.7	10.4	14.6	10.5	19.8	11.0
0.3	29.1	14.3	17.2	21.6	30.9	31.3	20.1	30.1	20.5
0.4	24.8	3.7	24.0	7.9	30.4	25.5	16.7	21.1	20.6
0.5	15.2	1.5	21.6	3.1	17.0	14.6	15.0	12.7	16.7
0.6	6.8	0.7	15.0	1.4	7.1	7.7	11.5	6.6	12.3
0.7	3.6	0.4	8.6	0.7	2.4	2.9	9.0	3.4	7.7
0.8	1.7	0.2	4.5	0.4	0.9	1.4	5.6	1.7	4.7
0.9	0.7	0.1	1.5	0.2	0.2	0.5	4.0	0.7	2.1
1.0	0.4	0.1	0.8	0.1	0.1	0.3	2.2	0.4	1.3
1.1	0.2	0.1	0.4	0.1	*	0.1	1.4	0.2	0.8
1.2	0.1	*	0.2	*	*	0.1	0.8	0.1	0.4
1.3	0.1	*	0.1	*	*	*	0.5	*	0.1
1.4	*	*	*	*	*	*	0.4	*	0.1
1.5	*	*	*	*	*	*	0.3	*	*
1.6	*	*	*	*	-	*	0.2	*	*
1.7	*	*	*	*	*	*	0.1	*	*
1.8 & above	*	*	*	*	*	*	0.5	*	*
Average trash	0.39	0.20	0.48	0.24	0.39	0.39	0.51	0.37	0.47

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles measured by video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 28, 2006

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	-	-	-	*	-	-	*	-	*
74.5-75.4	-	-	-	*	-	-	*	-	*
75.5-76.4	-	*	-	0.2	-	-	0.3	-	0.1
76.5-77.4	*	0.1	*	0.7	*	*	1.1	*	0.5
77.5-78.4	0.1	1.4	0.2	2.7	0.8	0.1	3.4	*	2.5
78.5-79.4	0.5	7.7	1.5	8.2	5.3	0.6	9.3	0.5	8.7
79.5-80.4	3.0	16.0	6.9	18.4	19.0	3.6	19.9	3.3	18.4
80.5-81.4	14.0	32.6	21.0	28.6	35.1	15.5	30.1	14.3	25.3
81.5-82.4	36.0	26.7	36.4	26.0	28.5	35.7	25.4	36.9	26.2
82.5-83.4	37.2	12.9	27.1	12.5	9.8	33.5	9.1	35.8	14.8
83.5-84.4	8.7	2.4	6.4	2.5	1.3	10.1	1.3	8.7	3.1
84.5-85.4	0.6	0.2	0.4	0.2	0.1	0.9	0.1	0.6	0.3
85.5-86.4	*	-	*	-	*	*	*	*	*
86.5-87.4	-	-	*	-	-	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.3	81.2	82.0	81.1	81.2	82.3	80.9	82.3	81.2
TRASH 2/									
0.0	-	-	-	*	-	-	*	-	*
0.1	0.1	11.1	*	11.8	0.1	0.5	7.5	*	4.1
0.2	3.6	37.4	2.0	31.4	5.2	7.4	26.4	1.2	16.0
0.3	14.7	27.7	11.7	26.1	21.3	20.0	25.0	8.9	22.4
0.4	23.0	12.3	19.8	12.6	24.3	24.3	16.2	18.4	20.2
0.5	23.2	6.4	23.2	7.9	20.9	20.5	10.3	24.6	15.5
0.6	17.0	3.0	18.0	4.3	13.1	13.5	6.2	20.5	10.1
0.7	10.1	1.3	11.4	2.5	7.3	7.4	3.7	13.2	5.7
0.8	5.2	0.5	6.4	1.3	3.8	3.7	2.1	7.2	3.1
0.9	1.6	0.2	3.2	0.8	1.9	1.3	1.1	3.1	1.3
1.0	0.8	0.1	1.7	0.4	1.0	0.7	0.6	1.4	0.7
1.1	0.4	*	1.0	0.3	0.6	0.4	0.4	0.8	0.4
1.2	0.2	*	0.6	0.2	0.3	0.2	0.2	0.4	0.2
1.3	0.1	*	0.3	0.1	0.1	0.1	0.1	0.1	0.1
1.4	*	*	0.2	0.1	0.1	*	0.1	0.1	0.1
1.5	*	-	0.1	*	*	*	*	*	*
1.6	*	-	0.1	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	0.2	*	*	*	*	*	*
Average trash	0.51	0.28	0.55	0.32	0.48	0.46	0.36	0.56	0.42

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through December 28, 2006

Quality Designation	Leaf	Arizona	California	3/ New Mexico	Texas	United States
01	1	10.9	0.8	*	0.1	0.9
	2	14.2	1.8	0.2	0.3	1.8
	3	*	*	*	-	*
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		25.1	2.6	0.3	0.4	2.8
02	1	6.1	1.9	*	0.8	1.8
	2	61.7	64.9	34.5	67.0	64.2
	3	1.4	15.2	42.6	5.6	15.1
	4	-	0.6	1.0	-	0.5
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		69.2	82.6	78.1	73.4	81.7
03	1	-	*	-	*	*
	2	1.9	4.2	3.1	20.0	5.2
	3	1.7	7.8	15.0	5.9	7.7
	4	0.2	1.3	3.3	*	1.2
	5	*	0.2	*	-	0.1
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		3.9	13.4	21.4	25.9	14.3
04	1	-	*	-	-	*
	2	0.8	0.1	*	0.1	0.1
	3	0.4	0.5	0.1	0.1	0.5
	4	0.1	0.4	0.1	*	0.3
	5	0.1	0.1	-	*	0.1
	6	*	*	-	-	*
	7	-	-	-	-	-
Total -----		1.5	1.1	0.2	0.2	1.1
05	1	-	-	-	-	-
	2	0.1	*	-	-	*
	3	*	0.1	-	-	0.1
	4	-	*	-	*	*
	5	0.1	*	-	-	*
	6	0.1	*	-	-	*
	7	*	-	-	-	*
Total -----		0.3	0.2	-	*	0.2
06	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	*	-	-	*
07	1	-	-	-	-	-
	2	-	*	-	-	*
	3	*	*	*	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		*	*	*	-	*
STAPLE						
40 & shorter						
42						
44						
46						
48 & longer						
<i>Average</i>						
UNIFORMITY						
72.4 & below						
72.5-73.4						
73.5-74.4						
74.5-75.4						
75.5-76.4						
76.5-77.4						
77.5-78.4						
78.5-79.4						
79.5-80.4						
80.5-81.4						
81.5-82.4						
82.5-83.4						
83.5-84.4						
84.5-85.4						
85.5-86.4						
86.5-87.4						
87.5-88.4						
88.5-89.4						
89.5 & above						
<i>Average</i>						
BALES CLASSED						
8,063						
448,650						
12,285						
32,784						
501,782						

3/ Data Withheld to avoid disclosure of information from individual gin. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through December 28, 2006

Quality Designation	Arizona	California	3/ New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	*	*	-	*
27 - 29	0.1	0.9	0.3	*	0.8
30 - 32	0.4	2.7	2.1	1.1	2.6
33 - 34	0.3	1.7	4.3	3.0	1.8
35 - 36	3.2	3.3	11.5	8.8	3.8
37 - 42	77.6	71.7	60.6	67.0	71.2
43 - 49	18.4	19.8	21.3	20.1	19.8
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
Average	41	40	40	40	40
ALL MIKE					
24 & below	-	*	-	-	*
25	-	*	*	-	*
26	-	*	-	-	*
27	-	0.1	*	-	0.1
28	-	0.3	0.1	*	0.2
29	0.1	0.5	0.2	*	0.5
30	0.1	0.8	0.5	0.1	0.7
31	0.3	1.0	0.6	0.3	0.9
32	*	1.0	1.0	0.7	0.9
33	0.1	0.9	1.6	1.4	0.9
34	0.2	0.8	2.7	1.7	0.9
35	0.9	1.1	4.6	3.4	1.3
36	2.3	2.2	6.9	5.4	2.5
37	3.5	4.2	9.8	8.7	4.6
38	5.0	7.5	11.3	11.3	7.8
39	10.7	11.6	11.5	13.7	11.8
40	17.1	15.1	10.5	13.2	14.9
41	23.1	17.1	9.4	11.3	16.6
42	18.2	16.2	8.1	8.8	15.6
43	11.5	11.6	7.0	6.9	11.2
44	4.6	5.9	6.2	5.0	5.8
45	1.7	1.9	4.8	3.7	2.1
46	0.4	0.4	2.5	2.4	0.5
47	0.1	0.1	0.6	1.3	0.1
48	*	*	0.1	0.6	*
49	-	*	*	0.2	*
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	41	40	40	40	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	*	*	*	*
29	-	*	-	-	*
30	*	*	*	*	*
31	-	*	*	*	*
32	-	0.1	*	0.2	0.1
33	1.2	0.3	0.5	0.7	0.4
34	4.8	0.9	2.0	2.2	1.1
35	9.4	1.6	4.5	5.0	2.0
36	10.9	2.5	8.4	9.8	3.3
37	11.0	4.4	13.4	15.2	5.5
38	10.6	8.3	15.7	18.4	9.1
39	12.1	14.0	16.2	17.2	14.2
40	13.7	18.2	14.8	14.1	17.8
41	11.0	18.9	11.8	8.6	17.9
42	6.3	14.6	7.1	4.6	13.6
43	4.4	9.1	3.5	2.2	8.5
44	2.9	4.5	1.4	0.9	4.1
45 & above	1.8	2.5	0.6	0.6	2.3
Average	38.6	40.3	38.8	38.5	40.2
EXTRANEOUS MATTER					
Bark	0.8	0.2	1.5	1.1	0.3
Grass	3.6	0.1	0.3	0.3	0.2
Spindle Twist	1.1	0.1	*	*	0.1
Preparation	0.1	0.1	-	*	0.1

3/ Data Withheld to avoid disclosure of information from individual gin. * Less than 0.05 percent.



1022808577

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----